


CS hinges with quick mounting technology

# Click-on'



Quick mounting hinges for variable cabinet applications and cabinet sidewall mounting with Click-on technology.



The proven standard program with the newest efficient Click-on quick mounting technology.

The large variety of the CS series is suitable for different hinge applications in the kitchen, bathroom, and home furnishings industry. Reliable automatic hinges with opening angles of 95 to 180° are perfect for the daily long-term use.


Available from the CS series are numerous hinges for special applications like the negative angle application.

A screw-on and a knock-in version are available to insert the hinge in the door.



CS hinges are mounted easily and securely on Click-on mounting plates. A push of the finger is all it takes to mount the hinge with a soft but noticeable “click” on the CS mounting plate. With the same effortless push the hinge can also be dismantled.



## CS Click-on technology – That’s all it takes.



### Click-on and you are done:



- Position door with the already attached hinge next to the CS mounting plate
- A push of the finger is all it takes to mount the hinge with a soft but noticeable “click” on the mounting plate
- Absolutely no tools are necessary to mount the hinge
- Absolutely no twisting of the hinge possible
- Easy installment of the doors, one hinge at a time
- 3-way adjustable
- Newest Click-on technology for all Twin NT, 5tec and CS hinges

CS mounting plates, designed for the newest click-on technology, make a tool-less mounting of the hinge possible.



# Flexible

The new hinge with quick mounting feature for aluminium profile doors with Click-on technology

A new vision – more versatile and economical  
Flexible – the versatile hinge from Mepla-Alfit.



The optimal solution for premium furniture designs:  
Flexible – and its suitable aluminium profiles.

Flexible – the new Aluminium Frame Door Hinge System from Mepla-Alfit offering you versatility in many ways.

Mepla-Alfit has developed a hinge system, which can be easily inserted in any position in the profile, and it just takes a quarter turn to tighten the hinge.

Therefore, Flexible is the optimal solution for the demanding requirements of the furniture industry.

The advantages are obvious:

- Aluminium profile without routing
- Optimal material usage
- Efficient warehousing
- Easy and quick assembly
- Labour saving
- Independent from position of shelves

# Mirro

The new quick mounting hinge system  
for mirror and glass doors with Click-on technology

**Mirro – 128° opening angle,  
the ideal position for double mirrors in the bathroom.**



## Mirro – pleasing to the eye: the elegant mirror hinge





























The sleek and stylish design of the Mirro hinge perfectly combines form and function. The stainless steel hinge adapter is firmly glued to the inside of the glass or mirror surface, concealing the hinge.


























The new Mepla-Alfit Mirro hinge is screwed on to the adapter plate – easy and fast.

Fast assembly on to pre-fabricated mirror or glass doors:

- Hinge adapter glued firmly in place from the mirror or glass door supplier
- Fast assembly
- Proven Mepla-Alfit Click-on technology
- No drilling or routing necessary




<b>CS 04</b> 	<b>100°</b>  	full overlay 	half overlay 	inset door 
		146.304.55.0015 PU 250 pcs.	146.304.55.0815 PU 250 pcs.	146.304.55.1515 PU 250 pcs.
		146.304.56.0015 PU 250 pcs.	146.304.56.0815 PU 250 pcs.	146.304.56.1515 PU 250 pcs.
<b>CS 22</b> 	<b>110°</b>  	full overlay 	half overlay 	
		146.322.53.0015 PU 250 pcs.	146.322.53.0815 PU 250 pcs.	
		146.322.54.0015 PU 250 pcs.	146.322.54.0815 PU 250 pcs.	
<b>CS 29</b> 	<b>125°</b>  	full overlay 	half overlay 	
		146.329.55.0015 PU 250 pcs.	146.329.55.0815 PU 250 pcs.	
		146.329.56.0015 PU 250 pcs.	146.329.56.0815 PU 250 pcs.	
<b>CS 65</b> 	<b>170°</b>  	full overlay 	half overlay 	
		146.765.53.0015 PU 250 pcs.	146.765.53.0815 PU 250 pcs.	
		146.765.54.0015 PU 50 pcs.	146.765.54.0815 PU 50 pcs.	
<b>120°</b> Opening angle reducing clip for CS 65				 641.000.09.0062 PU 125 pcs.
<b>CS 05</b> 	<b>95°</b>  	full overlay 	half overlay 	inset door 
		146.305.53.0015 PU 250 pcs.	146.305.53.0815 PU 250 pcs.	146.305.53.1515 PU 250 pcs.
		146.305.54.0015 PU 250 pcs.	146.305.54.0815 PU 250 pcs.	146.305.54.1515 PU 250 pcs.

<b>CS 10</b> 	<b>95°</b> 	full overlay 	half overlay 	
		146.610.53.0015 PU 250 pcs.	146.710.53.0815 PU 250 pcs.	
<b>CS 25</b> Ø 40 mm 	<b>95°</b> 	full overlay 	half overlay 	inset door 
		146.425.53.0015 PU 250 pcs.	146.425.53.0815 PU 250 pcs.	146.425.53.1515 PU 250 pcs.
		146.425.54.0015 PU 250 pcs.	◆ 146.425.54.0815 PU 250 pcs.	◆ 146.425.54.1515 PU 250 pcs.
<b>CS 05/20/6</b> 20° hinge for corner cabinets 	<b>95°</b> 		half overlay 	
			146.405.53.0615 PU 125 pcs.	146.405.54.0615 PU 125 pcs.
<b>CS 05/30/2</b> 30° hinge for corner cabinets 	<b>95°</b> 		half overlay 	
			146.405.53.0215 PU 125 pcs.	146.405.54.0215 PU 125 pcs.
<b>CS 05/45/3</b> 45° hinge for corner cabinets 	<b>95°</b> 			inset door 
			146.405.53.0315 PU 125 pcs.	146.405.54.0315 PU 125 pcs.
<b>CS 05/45/8</b> 45° hinge for corner cabinets 	<b>95°</b> 		half overlay 	
			146.405.53.0815 PU 125 pcs.	146.405.54.0815 PU 125 pcs.

PU = Packing unit

◆ on request (minimum quantity required)

























<b>CS 05/90/4</b> Post hinge 	<b>95°</b>  			inset door 	146.405.53.9615 PU 125 pcs. 146.405.54.9615 PU 125 pcs.	
			half overlay 	146.429.14.1015 PU 125 pcs. 146.429.12.1015 PU 125 pcs.		
			half overlay 	146.429.24.0115 PU 125 pcs. 146.429.22.0115 PU 125 pcs.		
<b>CS 29/-14°</b> hinge for negative corner cabinets 	<b>125°</b>  					
			half overlay 	146.780.80.0015 nickel plated brass antique ◆ 146.780.80.0013 PU 125 pcs. nickel plated ◆ 146.780.81.0015 PU 125 pcs.		
			full overlay 			
<b>CS 80</b> 	<b>180°</b>  					
			inset door 	146.700.01.0015 PU 125 pcs. ◆ 146.700.02.0015 PU 125 pcs.		
			inset door 	146.317.61.0015 PU 250 pcs. 146.317.63.0015 PU 250 pcs.	146.317.61.0815 PU 250 pcs.	146.317.61.1515 PU 250 pcs.
<b>CS PCC</b> 	 					
			full overlay 			
			half overlay 			
<b>CS 17</b> Ø 26 mm 	<b>95°</b>  					
			full overlay 			
			half overlay 			

PU = Packing unit





<p><b>CS 10AL</b></p> 	<p><b>95°</b></p>	<p>full overlay </p> <p>◆ 146.610.04.0015</p>		
<p><b>CS 17AL</b></p> 	<p><b>95°</b></p>	<p>full overlay </p> <p>146.317.04.0015 PU 250 pcs.</p>	<p>half overlay </p> <p>146.317.04.0815 PU 250 pcs.</p>	<p>inset door </p> <p>146.317.04.1515 PU 250 pcs.</p>
<p><b>Flexible</b></p> 	<p><b>95°</b></p>	<p>full overlay </p> <p>146.617.06.0015 PU 250 pcs.</p>	<p>half overlay </p> <p>146.717.06.0815 PU 250 pcs.</p>	<p>inset door </p> <p>146.717.06.1515 PU 250 pcs.</p>
<p><b>CS 17GL</b></p> 	<p><b>95°</b></p>	<p>full overlay </p> <p>146.017.93.0084 PU 250 pcs.</p>	<p>half overlay </p> <p>146.017.93.0884 PU 250 pcs.</p>	<p>inset door </p> <p>146.017.93.1584 PU 250 pcs.</p>
<p>Cover caps, steel nickel plated, unprinted * **</p>		<p>for cranking oo  514.300.02.0015 PU 1000 pcs.</p>	<p>for cranking o8 and 15 </p>	<p>514.300.22.0015 PU 1000 pcs.</p>
<p><b>CS 07 Mirro</b></p> 	<p><b>128°</b></p>	<p>full overlay </p>	<p>half overlay </p>	<p>inset door </p> <p>self-closing free-swinging</p> <p>298.707.88.0015 299.707.88.0015 PU 50 pcs.</p>
<p>Adapter </p>				<p>621.300.20.5017 PU 50 pcs.</p>
<p>Cover caps, plastic nickel plated, unprinted * ** </p>				<p>514.000.22.0015 PU 50 pcs.</p>

\* on request printed with your company's logo



◆ on request (minimum quantity required)

\*\* on request printed with Mepla-Alfit logo



# CS Mounting plates

## CS Mounting plates



All measurements can be made independently.

depth adjustable      height adjustable




**Excenter plate  
for wood screw fixing**

Ref. No.		
314.493.71	00	15 nickel plated
	02	
	04	
	06	
	08	

PU 250 pcs.

◆ Available fall 2003

depth adjustable      height adjustable




**Excenter plate  
for Euro screws**

Ref. No.		
317.493.71	00	15 nickel plated
	02	
	04	
	06	
	08	

PU 250 pcs.

◆ Available fall 2003

depth adjustable      height adjustable



**Excenter plate  
with pre-mounted Euro screws**

Ref. No.		
318.493.71	00	15 nickel plated
	02	
	04	
	06	
	08	

PU 250 pcs.

◆ Available fall 2003

height adjustable



**Steel plate  
for wood screw fixing**

Ref. No.		
314.393.81	00	15 nickel plated
	02	
	04	

PU 250 pcs.

height adjustable



**Steel plate  
with pre-mounted Euro screws  
line boring 28 mm**

Ref. No.		
318.390.81	00	15 nickel plated
	02	
	04	

PU 250 pcs.

height adjustable





**Steel plate  
with pre-mounted Euro screws**







Ref. No.		
318.393.81	00	15 nickel plated
	02	
	04	

PU 250 pcs.

PU = Packing unit



All measurements can be made independently.

 <p>height adjustable</p>	 <p>height adjustable</p>	 <p>height adjustable</p>																																																															
<p><b>Steel plate with expanding dowels Ø 5 mm</b></p> <table border="1" data-bbox="231 1042 539 1202"> <tr> <td colspan="3">Ref. No.</td> </tr> <tr> <td>319.393.81</td> <td>00</td> <td>15 nickel plated</td> </tr> <tr> <td></td> <td>02</td> <td></td> </tr> <tr> <td></td> <td>04</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="3">PU 250 pcs.</td> </tr> </table>	Ref. No.			319.393.81	00	15 nickel plated		02			04								PU 250 pcs.			<p><b>Zamak plate for wood screw fixing</b></p> <table border="1" data-bbox="708 1042 1016 1202"> <tr> <td colspan="3">Ref. No.</td> </tr> <tr> <td>315.393.55</td> <td>00</td> <td>15 nickel plated</td> </tr> <tr> <td></td> <td>02</td> <td></td> </tr> <tr> <td></td> <td>04</td> <td></td> </tr> <tr> <td></td> <td>08</td> <td></td> </tr> <tr> <td></td> <td>18</td> <td></td> </tr> <tr> <td colspan="3">PU 250 pcs.</td> </tr> </table>	Ref. No.			315.393.55	00	15 nickel plated		02			04			08			18		PU 250 pcs.			<p><b>Zamak plate for Euro screws</b></p> <table border="1" data-bbox="1193 1042 1501 1202"> <tr> <td colspan="3">Ref. No.</td> </tr> <tr> <td>317.393.56</td> <td>00</td> <td>15 nickel plated</td> </tr> <tr> <td></td> <td>02</td> <td></td> </tr> <tr> <td></td> <td>04</td> <td></td> </tr> <tr> <td></td> <td>08</td> <td></td> </tr> <tr> <td></td> <td>18</td> <td></td> </tr> <tr> <td colspan="3">PU 250 pcs.</td> </tr> </table>	Ref. No.			317.393.56	00	15 nickel plated		02			04			08			18		PU 250 pcs.		
Ref. No.																																																																	
319.393.81	00	15 nickel plated																																																															
	02																																																																
	04																																																																
PU 250 pcs.																																																																	
Ref. No.																																																																	
315.393.55	00	15 nickel plated																																																															
	02																																																																
	04																																																																
	08																																																																
	18																																																																
PU 250 pcs.																																																																	
Ref. No.																																																																	
317.393.56	00	15 nickel plated																																																															
	02																																																																
	04																																																																
	08																																																																
	18																																																																
PU 250 pcs.																																																																	
 <p>height adjustable</p>	 <p>height adjustable</p>	 <p>depth adjustable</p> <p>height adjustable</p>																																																															
<p><b>In-line plate for wood screw fixing</b></p> <table border="1" data-bbox="231 1702 539 1862"> <tr> <td colspan="3">Ref. No.</td> </tr> <tr> <td>301.390.82</td> <td>02</td> <td>15 nickel plated</td> </tr> <tr> <td></td> <td>04</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="3">PU 250 pcs.</td> </tr> </table>	Ref. No.			301.390.82	02	15 nickel plated		04								PU 250 pcs.			<p><b>In-line plate with dowels Ø 10 mm</b></p> <table border="1" data-bbox="708 1702 1016 1862"> <tr> <td colspan="3">Ref. No.</td> </tr> <tr> <td>306.390.82</td> <td>02</td> <td>15 nickel plated</td> </tr> <tr> <td></td> <td>04</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="3">PU 250 pcs.</td> </tr> </table>	Ref. No.			306.390.82	02	15 nickel plated		04								PU 250 pcs.			<p><b>Special excenter plate for face frame construction for wood screw fixing</b></p> <table border="1" data-bbox="1193 1702 1501 1862"> <tr> <td colspan="3">Ref. No.</td> </tr> <tr> <td>346.290.91</td> <td>00</td> <td>15 nickel plated</td> </tr> <tr> <td></td> <td>02</td> <td></td> </tr> <tr> <td></td> <td>04</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="3">PU 250 pcs.</td> </tr> </table> <p>◆ Available fall 2003</p>	Ref. No.			346.290.91	00	15 nickel plated		02			04					PU 250 pcs.											
Ref. No.																																																																	
301.390.82	02	15 nickel plated																																																															
	04																																																																
PU 250 pcs.																																																																	
Ref. No.																																																																	
306.390.82	02	15 nickel plated																																																															
	04																																																																
PU 250 pcs.																																																																	
Ref. No.																																																																	
346.290.91	00	15 nickel plated																																																															
	02																																																																
	04																																																																
PU 250 pcs.																																																																	

PU = Packing unit



One step ahead of the future.



**MEPLA**  **ALFIT**  
*Feel the motion !*

**MEPLA-WERKE**

**Lautenschläger GmbH & Co. KG**

Egerländer Str. 2  
D-64354 Reinheim

Phone ++49 (0) 61 62 / 8 02 - 0  
Fax ++49 (0) 61 62 / 8 02 - 181  
E-Mail [info@mepla-alfit.de](mailto:info@mepla-alfit.de)

**Alfit AG**

Sennemahd 10  
A-6840 Götzis

Phone ++43 (0) 55 23 / 59 60 - 0  
Fax ++43 (0) 55 23 / 6 45 10  
E-Mail [info@mepla-alfit.com](mailto:info@mepla-alfit.com)

[www.mepla-alfit.com](http://www.mepla-alfit.com)