



—INDA—matic

TWIN-WALLED SEEL DRAWER. COMPLETE  
RANGE OF CONCEALED RUNNERS UP TO  
50 KILOS RESISTANCE. **INDAMATIC**  
SELF CLOSING AND SOFT CLOSING.

# “ATTRACTION” drawer

DOUBLE WALL



# Full extension up to 50 Kg

“ATTRACTION” DRAWER  
WITH TELESCOPIC RUNNER  
ENABLING FULL EXTENSION IN  
ORDER TO MAKE FULL USE  
OF THE DRAWER’S CAPACITY.  
SUITABLE FOR LARGE DRAWERS  
AS IT CAN HOLD UP TO 50 KG.




ALSO AVAILABLE IN 25 KG, WITH  
SINGLE EXTENSION RUNNERS.





# A perfect finish

TWO OPTIONS AVAILABLE:  
METAL GREY (EPOXY) AND  
STAINLESS STEEL. TWO  
ATTRACTIVE FINISHES WHICH  
CAN BE INTEGRATED IN ANY  
KITCHEN COMBINATION.  
ALL ACCESSORIES USE THE  
SAME FINISH.



PLASTIC COMPONENTS USE  
A SLIGHTLY DARKER FINISH  
TO OBTAIN A BALANCED  
COMBINATION.



# The range

A COMPLETE RANGE WITH A WIDE VARIETY OF ACCESSORIES TO COVER MOST ORGANIZATION NEEDS, GUARANTEEING MAXIMUM SPACE EFFICIENCY ON STANDARD AND PAN DRAWERS.






SUCH AS: CUSTOMIZED CUTLERY TRAYS, PAN DRAWERS AND THEIR ACCESSORIES, PLATE HOLDERS, KNIFE HOLDERS, SPICE HOLDERS, CUTLERY CONTAINERS, DIVIDERS...





# Gradual soft closing Indamatic





# Inner drawers

INNER DRAWERS CONCEALED BEHIND DOORS OPTIMIZE THE CABINET VOLUME UTILISATION.

USED AS A VISIBLE OPTION, THE DRAWER FRONT IS ALIGNED WITH THE



CABINET SIDE, CREATING A HARMONIZED VIEW. METAL GREY (EPOXY) STAINLESS STEEL.









# A world of accessories



A COMPOSITION FOR EVERY STYLE.  
WOOD, STAINLESS STEEL OR METAL GREY.



CUTLERY TRAYS WITH  
REMOVABLE UTENSIL DIVIDERS  
FOR EASY CUSTOMIZATION.

THE UTENSILS ARE LOCATED  
IN A TRANSVERSAL POSITION  
REGARDING THE DRAWER  
TRAJECTORY TO AVOID EVEN-  
TUAL DAMAGES PRODUCED  
BY KNIFES AND FORKS.

PLATE, KNIFE AND SPICE  
HOLDERS ARE AVAILABLE FOR  
FURTHER CUSTOMIZATION.













compactly organized...







just as nice...





**INDA**matic  
gradual closing

# "ATTRACTION" twin walled drawer


TWIN WALLED STEEL DRAWER WITH A COMPLETE RANGE OF SELF-CLOSING RUNNERS, UP TO 50 KGs WEIGHT RESISTANCE, INCORPORATING **INDAMATIC** GRADUAL SOFT CLOSING.

pp.


<b>1</b>	<b>RANGE CONTENT</b>	430
<b>2</b>	<b>COMPONENTS</b>	432
	■ DRAWER BREAKDOWN	432
	■ LOWER FRONT DRAWER	434
	■ HIGH FRONT DRAWER	436
	■ DRAWER KIT	438
	■ INNER DRAWER	439
	■ DRAWER STABILISER	440
<b>3</b>	<b>ACCESSORIES</b>	441
	■ CROSS DIVIDERS FOR HIGH FRONT DRAWER	441
	■ ACCESSORIES FOR DRAWER KIT	442
	■ FLEXIBLE DIVIDING SYSTEM FOR STANDARD & INNER DRAWER	443
	■ FLEXIBLE DIVIDING SYSTEM FOR DRAWER KIT	444
	■ OTHER ACCESSORIES	444
	■ WOODEN DIVIDING SYSTEM FOR STANDARD & INNER DRAWER	445
<b>4</b>	<b>DRAWER ASSEMBLY JIG</b>	446
<b>5</b>	<b>TECHNICAL INFORMATION</b>	447
	■ DRAWER BASE DIMENSIONS	447
	■ DRILLING AND POSITIONING FOR THE DRAWER RUNNER	448
	■ DRILLING FOR THE DRAWER FRONT	449
	■ DRAWER ASSEMBLY	450
	■ DRAWER ASSEMBLY	451

## 1 RANGE CONTENT


### Drawer




- ... WITH STEEL BACK
- ... WITH WOODEN BACK
- ... WITH WOODEN DIVIDER
  - + KNIFE HOLDER
  - + SPICE HOLDER
  - + CHOPPING BLOCK
- ... WITH A CUTLERY INSERT
  - + KNIFE HOLDER
  - + SPICE HOLDER
- ... WITH DIVIDERS




### Pan drawer with extension sides




- ... WITH STEEL BACK
- ... WITH WOODEN BACK
- ... WITH WOODEN PLATE RACK
  - + PLATE RACK WITH DOWELS
  - + HORIZONTAL PLATE RACK
- ... WITH PAN DIVIDERS
- ... WITH PLATE DIVIDERS




### Pan drawer with rails




- ... WITH STEEL BACK
- ... WITH WOODEN BACK
- ... WITH WOODEN PLATE RACK
  - + PLATE RACKS WITH DOWELS
  - + HORIZONTAL PLATE RACK
- ... WITH PAN DIVIDERS




### Inner drawer




- ... WITH STEEL BACK
- ... WITH WOODEN BACK
- ... WITH WOODEN DIVIDERS
  - + KNIFE HOLDER
  - + SPICE HOLDER
  - + CHOPPING BLOCK
- ... WITH DIVIDERS








### Inner pan drawer



- ... WITH STEEL BACK
- ... WITH WOODEN BACK
- ... WITH WOODEN PLATE RACK
  - + PLATE RACK WITH DOWELS
  - + HORIZONTAL PLATE RACK
- ... WITH PAN DIVIDERS
- ... WITH PLATE DIVIDERS







## 2 COMPONENTS

### DRAWER BREAKDOWN

#### *Double walled high fronted drawer parts*




#### *Tubular high fronted drawer*





## DRAWER BREAKDOWN


*Low fronted drawer*



## ■ LOWER FRONT DRAWER

### DRAWER SIDES


DEPTH	STAINLESS STEEL	METAL GREY	
270	657.027.103	657.027.140	20
350	657.035.105	657.035.142	
400	657.040.101	657.040.145	
480	657.048.103	657.048.140	
600	657.060.106	657.060.143	



### 25 KG. SINGLE EXTENSION RUNNER.

THICKNESS 16			
DEPTH	GRAVITY CLOSING	INDAMATIC	
400	655.840.032	655.940.036	24
480	655.848.034	655.948.031	
520*	657.852.031	657.952.035	
600	655.860.030	655.960.034	

(\*) For 480mm drawer to obtain full accessibility.



### 50 KG. FULL EXTENSION RUNNER.

THICKNESS 16		THICKNESS 19	
DEPTH	INDAMATIC	INDAMATIC	
270	659.527.035	661.727.032	10
350	659.535.030	661.735.034	
400	659.540.033	661.740.030	
480	659.548.035	661.748.032	
600	659.560.031	661.760.035	

FULL EXTENSION RUNNERS ALWAYS EQUIPPED WITH INDAMATIC GRADUAL CLOSING, PREMOUNTED.


**INDAmatic**  
gradual closing

### LOW STEEL BACK

CABINET WIDTH	NICKEL-PLATED**	METAL GREY	
300	657.230.066	657.230.140	20
350	657.235.062	657.235.143	
400	657.240.065	657.240.146	
450	657.245.061	657.245.142	
500	657.250.064	657.250.145	
600	657.260.063	657.260.144	
700	657.270.062	657.270.143	
800*	657.280.061	657.280.142	
900*	657.290.060	657.290.141	
1000*	657.291.062	657.291.143	
1200*	657.299.064	657.299.145	


(\*) WITH DRAWER LATERAL STABILIZER FIXING.

(\*\*) FOR STAINLESS STEEL DRAWER SIDES.




## ■ LOWER FRONT DRAWER

### DRAWER SIDE FRONT BRACKET. QUICK ASSEMBLY

			
1 SET	658.000.103	100	


EACH REFERENCE CONSISTS OF 2 BRACKETS WITH EXPAND DOWELS.



### DRAWER SIDE FRONT BRACKET. SCREW MOUNTING

			
1 SET	658.050.105	100	


EACH REFERENCE CONSISTS OF 2 BRACKETS.



### COVER CAPS

	GREY		
1 SET	657.900.143	100	


EACH REFERENCE CONSISTS OF 2 CAPS.



### ADAPTER FOR LOW BACK (WOODEN BACK).

CABINET WIDTH	NICKEL-PLATED*	METAL GREY	
1 SET	657.700.061	657.700.142	40


(\*) FOR STAINLESS STEEL DRAWER SIDES.




## HIGH FRONT DRAWER

### DRAWER SIDES


DEPTH	STAINLESS STEEL	METAL GREY	
270	657.027.103	657.027.140	20
350	657.035.105	657.035.142	
400	657.040.101	657.040.145	
480	657.048.103	657.048.140	
600	657.060.106	657.060.143	



### 25 KG. SINGLE EXTENSION RUNNER.

THICKNESS 16				  24
DEPTH	EXTENSION LOSS	GRAVITY CLOSING	INDAMATIC	
400	80	655.840.032	655.940.036	
480	100	655.848.034	655.948.031	
520*	60	657.852.031	657.952.035	
600	100	655.860.030	655.960.034	

(\*) FOR 480MM DRAWER TO OBTAIN FULL ACCESSIBILITY.



### 50 KG. FULL EXTENSION RUNNER.


		THICKNESS 16	THICKNESS 19	
DEPTH		INDAMATIC	INDAMATIC	
270		659.527.035	661.727.032	10
350		659.535.030	661.735.034	
400		659.540.033	661.740.030	
480		659.548.035	661.748.032	
600		659.560.031	661.760.035	

FULL EXTENSION RUNNERS ALWAYS EQUIPPED WITH INDAMATIC GRADUAL CLOSING, PREMOUNTED.

**INDAmatic**  
gradual closing

### HIGH STEEL BACK

CABINET WIDTH	NICKEL-PLATED**	METAL GREY	
300	657.330.063	657.330.144	20
350	657.335.066	657.335.140	
400	657.340.062	657.340.143	
450	657.345.065	657.345.146	
500	657.350.061	657.350.142	
600	657.360.060	657.360.141	
700	657.370.066	657.370.140	
800*	657.380.065	657.380.146	
900*	657.390.064	657.390.145	
1000*	657.391.066	657.391.140	
1200*	657.399.061	657.399.142	



TWIN WALLED OR TUBULAR.


(\*) WITH DRAWER LATERAL STABILIZER FIXING.

(\*\*) FOR STAINLESS STEEL DRAWERS.




## HIGH FRONT DRAWER

### DRAWER SIDE FRONT BRACKET. QUICK ASSEMBLY

		
1 SET	658.000.103	100


EACH REFERENCE CONSISTS OF 2 BRACKETS WITH EXPAND DOWELS.



### DRAWER SIDE FRONT BRACKET. SCREW MOUNTING

		
1 SET	658.050.105	100


EACH REFERENCE CONSISTS OF 2 BRACKETS.




### COVER CAPS

	GREY	
1 SET	657.900.143	100

EACH REFERENCE CONSISTS OF 2 CAPS.




### TUBULAR RAILS


DEPTH	SILVER MATT ANODIZED*	METAL GREY	
270	660.127.064	660.127.145	20
350	660.135.166	660.135.140	
400	660.140.062	660.140.143	
480	660.148.064	660.148.145	
600	660.160.060	660.160.141	

EACH REFERENCE CONSISTS OF 2 SCREWS, 2 CONNECTORS, 2 COVERS, 2 RAILS AND 2 REAR FIXING DEVICES.


(\*) FOR STAINLESS STEEL DRAWERS.



### DOUBLE WALLED RAILS

DEPTH	STAINLESS STEEL	METAL GREY	
270	658.327.106	658.327.143	20
350	658.335.101	658.335.145	
400	658.340.104	658.340.141	
480	658.348.106	658.348.143	
600	658.360.102	658.360.146	


REFERENCED BY PAIR.




### DOUBLE WALLED RAIL FRONT BRACKET. QUICK ASSEMBLY

		
1 SET	658.100.100	100

EACH REFERENCE CONSISTS OF 2 BRACKETS WITH EXPAND DOWELS.



### DOUBLE WALLED RAIL FRONT BRACKET. SCREW MOUNTING

		
1 SET	658.150.102	100

EACH REFERENCE CONSISTS OF 2 BRACKETS.




### ADAPTER FOR HIGH BACK (WOODEN BACK)

CABINET WIDTH	NICKEL-PLATED*	METAL GREY	
1 SET	657.800.065	657.800.146	40

DOUBLE WALLED OR TUBULAR.

(\*) FOR STAINLESS STEEL DRAWERS.



## DRAWER KIT

### BASIC KIT FOR 16 MM THICKNESS

DEPTH	STAINLESS STEEL	METAL GREY	
480	656.148.102	656.148.146	160

EACH REFERENCE CONSISTS OF:

1 SET OF 50 KG FULL EXTENSION RUNNER WITH INDAMATIC GRADUAL CLOSING


PREMOUNTED

1 SET OF DRAWER SIDES,


1 SET OF FRONT BRACKETS, SCREW MOUNTING,

2 COVER CAPS,

1 ASSEMBLY INSTRUCTIONS WITH TEMPLATE.



**INDA-matic**  
gradual closing




### KIT 1: METAL DRAWER BACK

CABINET WIDTH			
THICKNESS 16MM	NICKEL-PLATED*	METAL GREY	
450	655.145.061	655.145.142	
600	655.160.063	655.160.144	12
900	655.190.060	655.190.141	
1200	655.199.064	655.199.145	

EACH REFERENCE CONSISTS OF ONE BACK INDIVIDUALLY PACKED.

(\*) FOR STAINLESS STEEL DRAWERS.



### KIT 2A: DOUBLE WALLED RAILS

			DEPTH 480 MM
16MM	NICKEL-PLATED*	METAL GREY	
450	655.245.102	655.245.146	
600	655.260.104	655.260.141	10
900	655.290.101	655.290.145	
1200	655.299.105	655.299.142	


EACH REFERENCE CONSISTS OF:

1 HIGH STEEL BACK,

1 SET OF DOUBLE WALLED RAILS,

1 SET OF DOUBLE WALLED RAIL FRONT BRACKET. SCREW MOUNTING

(\*) FOR STAINLESS STEEL DRAWERS



### KIT 2B: TUBULAR RAILS


CABINET WIDTH			
			DEPTH 480 MM
	NICKEL-PLATED*	METAL GREY	
450	661.045.066	661.045.140	
600	661.060.061	661.060.142	10
900	661.090.065	661.090.146	
1200	661.099.062	661.099.143	

EACH REFERENCE CONSISTS OF:

1 SET OF TUBULAR RAILS

1 SET OF DOUBLE WALLED RAIL FRONT BRACKET. SCREW MOUNTING

(\*) FOR STAINLESS STEEL DRAWERS.




## INNER DRAWER

### LOWER FRONT INNER DRAWER.

CABINET WIDTH	STAINLESS STEEL	METAL GREY	
300	660.230.104	660.230.141	20
350	660.235.100	660.235.144	
400	660.240.103	660.240.140	
450	660.245.106	660.245.143	
500	660.250.102	660.250.146	
600	660.260.101	660.260.145	
700	660.270.100	660.270.144	
800	660.280.106	660.280.143	
900	660.290.105	660.290.142	
1000	660.291.100	660.291.144	
1200	660.299.102	660.299.146	

EACH REFERENCE DELIVERED COMPLETE AND PREMOUNTED.




#### NOTE

TO CLIP OFF THE INNER DRAWER FRONT REMOVE BOTH COVER CAPS AND RELEASE THE LOCKING DEVICE.

### HIGHER FRONT INNER DRAWER.

CABINET WIDTH	STAINLESS STEEL	METAL GREY	
300	660.330.101	660.330.145	20
350	660.335.104	660.335.141	
400	660.340.100	660.340.144	
450	660.345.103	660.345.140	
500	660.350.106	660.350.143	
600	660.360.105	660.360.142	
700	660.370.104	660.370.141	
800	660.380.103	660.380.140	
900	660.390.102	660.390.146	
1000	660.391.104	660.391.141	
1200	660.399.106	660.399.143	


EACH REFERENCE DELIVERED COMPLETE AND PREMOUNTED.



### DOUBLE WALLED RAILS FOR INNER DRAWERS.

DEPTH	STAINLESS STEEL	METAL GREY	
270	658.227.102	658.227.146	20
350	658.238.104	658.235.141	
400	658.240.100	658.240.144	
480	658.248.102	658.248.146	
600	658.260.105	658.260.142	

EACH REFERENCE CONSISTS OF ONE COMPLETE SET



### INNER DRAWER HINGE.

HALF OVERLAY 172° OPENING	323.410.065	25




HINGE CALCULATIONS			
K = 13		C = K+A+B-E	
B = 3		C = 13+2+3-16	
A = 2		C = 2MM	
E = 16			
C ?			
K = CONSTANT = 15MM			

### SCREW-FIX BASE PLATE FOR USE WITH INNER DRAWER HINGE.

HEIGHT	STEEL NICKEL PLATED	
0MM	350.210.066	25
2MM	350.212.063	

THIS HINGE ALLOWS THE INNER DRAWER TO BE FULLY EXTENDED AVOIDING ANY DOOR CONTACT




## DRAWER STABILISER

THE DRAWER STABILISER DEVICE NEUTRALIZES LATERAL MOVEMENT COMMON TO ALL LARGE DRAWERS  
ADVISABLE FOR USE IN 800 MM CABINETS WIDTH AND MORE.

AVAILABLE FOR 480 AND 600 MM DRAWER DEPTH.

THE ASSISTANCE RUNNER HAS 2 PIVOTS, EACH SIDE, WHICH FITS IN THE MAIN RUNNER FIX RAIL AS A TEMPLATE, PROVIDING A CORRECT POSITION.




### STABILISER.

CABINET WIDTH	GREY		
	P: 480MM	P: 600MM	
800	654.880.144	655.080.145	10*
900	654.890.143	655.090.144	
1000	654.891.145	655.091.146	
1200	654.899.140	655.099.141	

EACH REFERENCE CONSISTS OF 1 SET OF ASSISTANCE RUNNERS 2 GEARS, 1 LEFT BRACKET, 1 RIGHT BRACKET AND THE TUBE.

\*10 SETS IN 2 BOXES: BOX A: 10 TUBES

BOX B: 10 SETS. OF ASSISTANCE RUNNERS + 2 GEARS + 1 LEFT BRACKET + 1 RIGHT BRACKET.



DRAWER DEPTH: P


P	X
480	495
600	615

#### PLEASE NOTE

FOR SPECIAL SIZES, ORDER THE NEAREST SIZE ABOVE THE STANDARD REFERENCE AND CUT IT TO THE CABINET INNER WIDTH MINUS 50 MM.

### Assembly instructions

- 1- POSITION THE ASSISTANCE RUNNER ON TO THE MAIN RUNNER, WHICH MUST BE PREVIOUSLY FITTED.
- 2- CLIP BOTH BRACKETS ONTO THE METAL BACK.
- 3- INSERT THE TUBE BETWEEN BRACKETS AND FIX IT WITH THE GEARS.





### 3 ACCESSORIES

#### CROSS DIVIDERS FOR HIGH FRONT DRAWERS

SINGLE: COOKING UTENSILS & PROVISIONS

CABINET WIDTH	SIDES	JOINING BRACKET	DIVIDER	STAINLESS STEEL	METAL GREY	
300	3	6	7	660.630.106	660.630.143	10*
350	3	6	9	660.635.102	660.635.146	
400	3	6	9	660.640.105	660.640.142	
450	3	6	9	660.645.101	660.645.145	
500	2	4	8	660.650.104	660.650.141	
600	2	4	8	660.660.103	660.660.140	
700	2	4	8	660.670.102	660.670.146	
800	2	4	12	660.680.101	660.680.145	
900	2	4	12	660.690.100	660.690.144	
1000	2	4	16	660.691.102	660.691.146	
1200	2	4	16	660.699.104	660.699.141	

EACH REFERENCE CONSISTS OF 1 SET OF CROSS DIVIDER + CONNECTORS + LATERAL DIVIDERS.

ALL UNASSEMBLED

\*10 SETS IN 2 BOXES:

BOX A: 10 SETS CONNECTORS & LATERAL DIVIDERS

BOX B: 10 SETS OF CROSS DIVIDERS

DOUBLE: FOR PLATE STORAGE

CABINET WIDTH	LATERAL DIVIDER	STAINLESS STEEL	METAL GREY	
300	2	660.730.103	660.730.140	10*
350	2	660.735.106	660.735.143	
400	3	660.740.102	660.740.146	
450	3	660.745.105	660.745.142	
500	4	660.750.101	660.750.145	
600	4	660.760.100	660.760.144	
700	4	660.770.106	660.770.143	
800	6	660.780.105	660.780.142	
900	6	660.790.104	660.790.141	
1000	6	660.791.106	660.791.143	
1200	8	660.799.101	660.799.145	

EACH REFERENCE CONSISTS OF 1 UPPER & LOWER CROSS DIVIDER, 2 TWIN CONNECTORS + 2 LATERAL DIVIDERS UNASSEMBLED.

\*10 SETS IN 2 BOXES:

BOX A: 10 SETS CONNECTORS & LATERAL DIVIDERS


BOX B: 10 UPPER CROSS DIVIDERS AND 10 LOWER CROSS DIVIDERS.

TUBULAR CROSS DIVIDER

CABINET WIDTH	DIVIDER TUBE	ABRAZADERA	DIVIDER	ALUMINIUM MATT SILVER*	GREY	
300	6	6	7	660.030.066	660.030.140	10
350	6	6	9	660.035.062	660.035.143	
400	6	6	9	660.040.065	660.040.146	
450	6	6	9	660.045.061	660.045.142	
500	4	4	8	660.050.064	660.050.145	
600	4	4	8	660.060.063	660.060.144	
700	4	4	8	660.070.062	660.070.143	
800	4	4	12	660.080.061	660.080.142	
900	4	4	12	660.090.060	660.090.141	
1000	4	4	16	660.091.062	660.091.143	
1200	4	4	16	660.099.064	660.099.145	


EACH REFERENCE CONSISTS OF 1 SET OF CROSS DIVIDERS + CORNER JOINING BRACKETS+ BOTTLE DIVIDERS. ALL UNASSEMBLED

(\*) FOR STAINLESS STEEL DRAWERS




#### PLEASE NOTE

THESE ACCESSORIES ARE IDEAL FOR THE STORING OF POTS AND PANS, AS WELL AS STORAGE JARS..



#### PLEASE NOTE

THESE ACCESSORIES ARE IDEAL FOR STORAGE OF CROCKERY AND TRAYS, AS THE DOUBLE HEIGHT PREVENTS ITEMS FROM SLIDING DURING THE OPENING AND CLOSING OF THE DRAWERS.




## ACCESSORIES FOR DRAWER KIT

### SINGLE: COOKING UTENSILS & PROVISIONS


CABINET WIDTH	SIDES	JOINING BRACKET	DIVIDER	STAINLESS STEEL	METAL GREY	
450	3	6	9	661.145.100	661.145.144	2
600	2	4	8	661.160.102	661.160.146	
900	2	4	12	661.190.106	661.190.143	
1200	2	4	16	661.199.103	661.199.140	

EACH REFERENCE CONSISTS OF 1 SET OF CROSS DIVIDER + CONNECTORS + LATERAL DIVIDERS.  
ALL UNASSEMBLED.



#### PLEASE NOTE


THESE ACCESSORIES ARE IDEAL FOR THE  
STORING OF POTS AND PANS, AS WELL AS  
STORAGE JARS..



### DOUBLE: FOR PLATE STORAGE.


CABINET WIDTH	DIVIDER	STAINLESS STEEL	METAL GREY	
450	3	661.445.105	661.445.142	2
600	4	661.460.100	661.460.144	
900	6	661.490.104	661.490.141	
1200	8	661.499.101	661.499.145	

EACH REFERENCE CONSISTS OF 1 UPPER & LOWER CROSS DIVIDER, 2 TWIN CONNECTORS + 2  
LATERAL DIVIDERS UNASSEMBLED.



#### PLEASE NOTE



THESE ACCESSORIES ARE IDEAL FOR  
STORAGE OF CROCKERY AND TRAYS, AS  
THE DOUBLE HEIGHT PREVENTS ITEMS  
FROM SLIDING DURING THE OPENING  
AND CLOSING OF THE DRAWERS.



### TUBULAR CROSS DIVIDERS. COOKING UTENSILS AND PROVISIONS

CABINET WIDTH	DIVIDER TUBE	JOINING BRACKET	DIVIDER	SILVER PLATE ANODIZED*	SILVER GREY	
450	6	6	9	661.545.065	661.545.146	10
600	4	4	8	661.560.060	661.560.141	
900	4	4	12	661.590.064	661.590.145	
1200	4	4	16	661.599.061	661.599.142	

EACH REFERENCE CONSISTS OF 1 SET OF CROSS DIVIDERS + CORNER JOINING BRACKETS+  
BOTTLE DIVIDERS. ALL UNASSEMBLED  
(\*) FOR STAINLESS STEEL DRAWERS.



## FLEXIBLE DIVIDING SYSTEM FOR STANDARD & INNER DRAWER

### DIVIDER

CABINET WIDTH	STAINLESS STEEL	METAL GREY	
300	656.630.100	656.630.144	
350	656.635.103	656.635.140	
400	656.640.106	656.640.143	
450	656.645.102	656.645.146	
500	656.650.105	656.650.142	10*
600	656.660.104	656.660.141	
700	656.670.103	656.670.140	
800	656.680.102	656.680.146	
900	656.690.101	656.690.145	
1000	656.691.103	656.691.140	
1200	656.699.105	656.699.142	


EACH REFERENCE CONSISTS OF TRANSVERSAL AND LONGITUDINAL RAILS, STANDARD HEIGHT JOINING BRACKETS, STANDARD HEIGHT DIVIDERS AND RAIL END CAPS.

\*10 SETS IN 3 BOXES:


BOX A: 10 SETS OF CONNECTORS + CAPS + LATERAL DIVIDERS

BOX B: 10 SETS OF TRANSVERSAL DIVIDERS

BOX C: 10 SETS OF REST OF DIVIDERS.



### Layout schemes




## FLEXIBLE DIVIDING SYSTEM FOR DRAWER KIT


### KITS.

CABINET WIDTH	STAINLESS STEEL	METAL GREY	
450	661.945.104	661.945.141	2
600	661.960.106	661.960.143	
900	661.990.103	661.990.140	
1200	661.999.100	661.999.144	

EACH REFERENCE CONSISTS OF 1 COMPLETE SET.



### Layout schemes




## OTHER ACCESSORIES

### 480 MM DEEP CUTLERY TRAY WITH DIVIDERS

CABINET WIDTH	SHORT DIVIDER	LONG DIVIDER	METAL GREY	
300	3	-	659.630.145	10
350	2	2	659.635.141	
400	2	2	659.640.144	
450	3	2	659.645.140	
500	3	2	659.650.143	
600	4	2	659.660.142	
800	9	4	659.680.140	
900	9	4	659.690.146	
1000	9	4	659.691.141	
1200	12	5	659.699.143	

EACH REFERENCE CONSISTS OF 1 CUTLERY TRAY + BAG OF DIVIDERS.




### KNIFE HOLDER

	ANODIZED MATT SILVER	
1 PIECE	656.900.101	1

### SPICE HOLDER

	ANODIZED MATT SILVER	
1 PIECE	656.950.103	1






## WOODEN DIVIDING SYSTEM FOR STANDARD & INNER DRAWER

### WOODEN CUTLERY TRAY

CABINET WIDTH	DEPTH		
	P: 480MM	P: 600MM	
450	645.445.102	645.645.103	1
600	645.460.104	645.660.105	
900	645.490.101	645.690.102	
1200	645.499.105	645.699.106	


LACQUERED BEECH.



### WOODEN PLATE RACK WITH DOWELS

CABINET WIDTH	DEPTH		
	P: 480MM	P: 600MM	
600	646.460.102	646.660.103	7
900	646.490.106	646.690.100	
1200	646.499.103	646.699.104	


LACQUERED BEECH.



### DOWEL FOR WOODEN PLATE RACK

		LACQUERED BEECH	
1 UNIT		646.006.104	


6 DOWELS + 6 SCREWS PER BOX.



### WOODEN PLATE RACK


CABINET WIDTH	DEPTH		
	P: 480MM	P: 600MM	
1 UNIT	646.548.103	646.560.106	1

LACQUERED BEECH.




### WOODEN KNIFE RACK

		LACQUERED BEECH	
1 UNIT		646.118.104	




### WOODEN CHOPPING BOARD

		LACQUERED BEECH	
1 UNIT		646.318.105	



### WOODEN SPICE RACK

		LACQUERED BEECH	
1 UNIT		646.218.101	




## 4 DRAWER ASSEMBLY JIG

THIS DRAWER ASSEMBLY KIT WILL SAVE TIME AND MONEY.  
THE FULL RANGE OF DRAWERS CAN BE ASSEMBLED ON THIS JIG. IT IS PARTICULARLY IDEAL FOR ASSEMBLING WIDE DRAWERS.  
SET-UP TIMES ARE GREATLY REDUCED THANKS TO THE PRE-POSITIONED STOPS.  
THERE IS NO NEED TO CONNECT IT TO EITHER AN ELECTRICITY SUPPLY OR COMPRESSED AIR.


### ASSEMBLY JIG

1 JIG	752.900105
-------	------------


### Drawer assembly



QUICK AND EASY MANUAL ASSEMBLY.  
SIMPLY LOCATE THE COMPONENTS IN THE  
CORRESPONDING POSITIONS.



INSERT THE DRAWER BASE.




SIMPLY SCREW THE DRAWER BASE TO THE  
SIDES, AND THE DRAWER WILL BE FULLY  
ASSEMBLED.


## 5 TECHNICAL INFORMATION

### DRAWER BASE DIMENSIONS

#### Base




#### Back




## DRILLING AND POSITIONING FOR THE DRAWER RUNNER

*Full extension runner*




*Single extension runner*




520 MM RUNNER FOR 480 MM DRAWER, FULL ACCESSIBILITY  
RUNNER, NEEDS A FREE CABINET DEPTH OF 520 MM

*Inner drawer*



**PLEASE NOTE:**  
MOVE THE RUNNER BACKWARDS USING THE ALTERNATIVE  
HOLE.

*Specific case:  
Drawer with damper*




**PLEASE NOTE:**  
DO NOT USE DAMPERS OR SIMILAR ON RUNNERS  
EQUIPPED WITH CUSHIONING SYSTEMS.




**INDA**matic

	A (MINIMUM)	H
GRAVITY CLOSING RUNNER	34	92
RUNNER WITH <b>INDAMATIC</b>	44	102

### Low front drawer with single extension runner



*Pan drawer with partial extension runner*





	A (MINIMUM)	H
GRAVITY CLOSING RUNNER	34	181
RUNNER WITH <b>INDAMATIC</b>	44	191

## DRAWER ASSEMBLY



### *Drawer assembly*

QUICK AND SIMPLE MANUAL ASSEMBLY. PLACE THE DRAWER ON THE RUNNERS AND CLOSE IT. THE DRAWER ITSELF WILL AUTOMATICALLY CLIP ON TO THE RUNNER.



### *Drawer removal*


TO REMOVE, SIMULTANEOUSLY PRESS BOTH TABS AS SHOWN, AND PULL OUT THE DRAWER.



## DRAWER ASSEMBLY


### Drawer front assembly

GENTLY INSERT THE DRAWER FRONT HOOKS, INTO THEIR SLOTS.  
A SPRING WILL DRIVE IT TO ITS FINAL POSITION.



### Front alignment

ADJUST AS SHOWN BELOW.



### Drawer front unasassembly

TO REMOVE TILT DOWN AND PULL OUT.

